

TOWN OF BUCKSPORT
BID REQUEST – MAIN STREET CONCRETE SIDEWALK REPAIR

The Town of Bucksport is requesting bids for the purpose of the repair/replacement of existing concrete sidewalk slabs and two sets of concrete steps. Bids will be accepted until July 21, 2016. The Town reserves the right to accept or reject any or all bids submitted.

All bids will be submitted as a lump sum in accordance with bid specifications to: Town Manager, Bucksport Town Office, P.O. Drawer X, Bucksport, Maine 04416. All envelopes should be plainly marked on the outside “Bid for Concrete Repairs.”

BID SPECIFICATIONS

CONCRETE REPAIRS

1. All proposals will be placed in a sealed envelope, which is marked on the outside "Concrete repairs" and submitted to Town Manager, P.O. Drawer X, Bucksport, Maine 04416.
2. Bid prices shall be for a lump sum basis for all work.
3. All repairs shall be completed no later than October 31, 2016.
4. Scope of work shall be as follows.
 - a. Demolition and in-place casting of forty two (42) existing concrete sidewalk slabs. Typical size: seven feet (7') X nine feet (9") X four (4") inches. Install an expansion joint between new concrete slabs and wooden utility poles.
 - b. Demolition and replacement of existing concrete steps:
 1. 55 Main Street; 84" width X 36" height X 60" depth.
 2. 92 Main Street; 84" width X 78" height X 186" depth.
 3. Safety hand rails required on each side of new steps.
 - c. Raise existing concrete slabs to match height of granite curbs. Six sidewalk sections totaling 252 feet. Typical depressed height difference three (3) inches.
 - d. All demolition material shall be disposed of by the successful bidder.
5. Quantities of concrete sidewalk slabs to be replaced and length of concrete slabs to be reset are provided solely as estimates for the purpose of this bid. The final amount shall be coordinated between the Town and the successful bidder.
6. Payment will be made upon receipt of submitted company invoice and a purchase order signed by an authorized Town employee.

Any questions regarding the request for proposal may be addressed to Duane Nadeau, Public Works Director, P.O. Drawer X, Bucksport, Maine 04416. Telephone, 469-6680.